



Friday, January 25, 2019

Attn: Mr. Keith Gammell
Barnhardt Mfg. Co.
247 Main Rd
P.O. Box 3
Colrain, MA 01340

Project ID: NPDES BI-MONTHLY
SDG ID: GCC33148
Sample ID#s: CC33148

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory. This report is incomplete unless all pages indicated in the pagination at the bottom of the page are included.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Phyllis Shiller".

Phyllis/Shiller

Laboratory Director

NELAC - #NY11301
CT Lab Registration #PH-0618
MA Lab Registration #M-CT007
ME Lab Registration #CT-007
NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003
NY Lab Registration #11301
PA Lab Registration #68-03530
RI Lab Registration #63
UT Lab Registration #CT00007
VT Lab Registration #VT11301



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Sample Id Cross Reference

January 25, 2019

SDG I.D.: GCC33148

Project ID: NPDES BI-MONTHLY

Client Id	Lab Id	Matrix
EFFLUENT	CC33148	WASTE WATER



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

January 25, 2019

FOR: Attn: Mr. Keith Gammell
Barnhardt Mfg. Co.
247 Main Rd
P.O. Box 3
Colrain, MA 01340

Sample Information

Matrix: WASTE WATER
Location Code: BARNHARD
Rush Request: Standard
P.O.#: G10513

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date

01/23/19
01/23/19

Time

7:00
15:06

Laboratory Data

SDG ID: GCC33148
Phoenix ID: CC33148

Project ID: NPDES BI-MONTHLY
Client ID: EFFLUENT

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Nitrite-N	0.057	0.010	mg/L	1	01/23/19 19:33	TB	E353.2
Nitrate-N	15.0	0.20	mg/L	10	01/23/19 19:38	TB	E353.2
Nitrogen Tot Kjeldahl	9.65	1.00	mg/L	10	01/24/19	KDB	E351.1
Total Nitrogen	24.7	0.10	mg/L	1	01/24/19	KDB	SM4500NH3/E300.0-97

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If there are any questions regarding this data, please call Phoenix Client Services.
This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director

January 25, 2019

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

January 25, 2019

QA/QC Data

SDG I.D.: GCC33148


Parameter	Blank	Blk RL	Sample Result	Dup Result	Dup RPD	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 464483 (mg/L), QC Sample No: CC33351 (CC33148)													
Nitrate-N	BRL	0.02	<0.02	<0.02	NC	103			102			90 - 110	20
Nitrite-N	BRL	0.01	<0.010	<0.01	NC	104			101			90 - 110	20
QA/QC Batch 464452 (mg/L), QC Sample No: CC33101 (CC33148)													
Nitrogen Tot Kjeldahl	BRL	0.10	1.67	1.78	6.40	95.3			94.5			85 - 115	20

Comment:

TKN is reported as Organic Nitrogen in the Blank, LCS, DUP and MS.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample Duplicate
MS - Matrix Spike
MS Dup - Matrix Spike Duplicate
NC - No Criteria
Intf - Interference


Phyllis Shiller, Laboratory Director
January 25, 2019

Friday, January 25, 2019

Criteria: None
State: MA

Sample Criteria Exceedances Report
GCC33148 - BARNHARD

SampNo	Acode	Phoenix Analyte	Criteria	Result	RL	Criteria	RL Criteria	Analysis Units
--------	-------	-----------------	----------	--------	----	----------	----------------	-------------------

*** No Data to Display ***

Phoenix Laboratories does not assume responsibility for the data contained in this exceedance report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Comments

January 25, 2019

SDG I.D.: GCC33148

The following analysis comments are made regarding exceptions to criteria not already noted in the Analysis Report or QA/QC Report: None.

